
# The world leader in the development of single analyte immunoassays now offers Luminex bead-based multiplex kits.

- ✓ The most versatile screening assays on the market are now qualified for serum and plasma sample types.
- Rapidly expanding menu of available analytes.
- Introducing our most popular panels on the magnetic bead format.



Luminex Screening and Performance Assays are bead-based multianalyte profiling kits. The kits utilize color-coded polystyrene or superparamagnetic microparticles coated with antibodies that specifically recognize the target analytes. The different analyte-specific beads are mixed and incubated with the sample. Captured analytes are subsequently detected using a cocktail of biotinylated detection antibodies and a streptavidin-phycoerythrin conjugate.



## **Luminex Screening Assays**

Luminex Screening Assays are our most flexible kits for multianalyte profiling of cell culture supernates, serum, or plasma samples. Kits include a multi-purpose diluent that allows up to 100 out of 117 available human biomarkers to be simultaneously profiled. The analytes for the user-defined multiplex are selected from a broad and rapidly expanding menu and are supplied as premixed kits.

- ✓ Flexible: Up to 100 out of 117 available human biomarkers can be simultaneously profiled
- $\checkmark$  The most cost-effective assay for profiling multiple
- ✓ Offers a menu that will be rapidly expanding
- ✓ All assays can be performed in 3-3.5 hours
- ✓ Assays require a small sample volume (<50 µL)
- ✓ Reagents are supplied as premixed kits and shipped in 3-5 days from the date of order

For more information, please visit our website at www.RnDSystems.com/LuminexScreening

#### Analytes available in the polystyrene bead format

Adiponectin/Acrp30	CXCL5/ENA-78	IL-1 RI	MMP-12
Aggrecan	CXCL8/IL-8	IL-1 RII	MMP-13
Angiopoietin-2	CXCL10/IP-10	IL-2	MPO
APP	CXCL11/I-TAC	IL-4	NRG1- $\beta$ 1/HRG1- $\beta$ 1
BAFF/BLyS	CXCL13/BLC/BCA-1	IL-5	PCSK9
BCMA/TNFRSF17	DcR3/TNFRSF6B	IL-6	Periostin/OSF-2
BMP-2	Dkk-1	IL-9	Progranulin
BMP-4	EGF	IL-10	RAGE
BMP-9	ENPP-2/Autotaxin	IL-12 p70	Renin
Cardiac Myoglobin	EphA2	IL-13	ROBO4
Cardiac Troponin I/cTNI	Fas/TNFRSF6	IL-17A	E-Selectin/CD62E
CCL2/MCP-1	Fas Ligand	IL-18 BPa	P-Selectin/CD62P
CCL3/MIP-1α	FGF basic	IL-19	Serpin E1/PAI-1
CCL4/MIP-1β	FGF-21	IL-22	SHBG
CCL5/RANTES	Follistatin	IL-23	SOST
CCL8/MCP-2	Galectin-3	IL-27	SP-D
CCL13/MCP-4	G-CSF	IL-28A/IFN-λ2	ST2/IL-1 R4
CCL17/TARC	GDF-15	IL-31	TACI/TNFRSF13B
CCL20/MIP-3α	GM-CSF	IL-33	TFPI
CD14	<b>Growth Hormone</b>	Leptin/OB	Tie-1
CD27/TNFRSF7	HB-EGF	M-CSF	Tie-2
CD30/TNFRSF8	HGF	MFG-E8	Thrombopoietin/Tpo
CD40/TNFRSF5	ICAM-1/CD54	MIG	TNF- $lpha$
Chitinase 3-like 1/YKL40	IFN-γ	MMP-1	TNF RI/TNFRSF1A
Comp. Factor D/Adipsin	IFN-γ R1	MMP-2	TNF RII/TNFRSF1B
Cripto-1	IGFBP-3	MMP-3	TRAIL R3/TNFRSF10C
C-Reactive Protein/CRP	IL-1α/IL-1F1	MMP-7	Uteroglobin
CXCL1/GR0α	IL-1β/IL-1F2	MMP-8	VCAM-1/CD106
CXCL4/PF4	IL-1ra/IL-1F3	MMP-9	VEGF
			VEGF R3/Flt-4

### Analytes available in the magnetic bead format


Human Phospho-RTK Kit A		Human Phospho-RTK Kit B		
EGF R/ErbB1	EphB6	ALK/CD246	PDGF Rα	
EphA1	ErbB2/Her2	AxI	PDGF Rβ	
EphA2	ErbB3/Her3	DDR1	PTK7/CCK4	
EphA3	ErbB4/Her4	DDR2	ROR1	
EphA4	Flt-3/Flk-2	Dtk	ROR2	
EphA5	HGF R/c-MET	FGF R1	Tie-1	
EphA6	IGF-I R	FGF R2 $lpha$	Tie-2	
EphA7	M-CSF R	FGF R3	TrkB	
EphA8	MSP R/Ron	FGF R4	TrkC	
EphB1	Ret	Insulin R/CD220	VEGF R1/Flt-1	
EphB2	SCF R/c-kit	LTK	VEGF R2/KDR	
EphB3	TrkA	Mer	VEGF R3/Flt-4	
EphB4		MuSK		

www.RnDSystems.com

## **Luminex Performance Assays**

Luminex Performance Assays are our most accurate and precise bead-based multianalyte profiling kits. All analytes in a given panel are tested together to ensure optimal kit performance for the entire panel. Analytes can be ordered either as a complete panel or as a smaller subset from any panel shown below. The kits can be used to measure target analytes in qualified sample types, which may include cell culture supernates, serum, plasma, urine, saliva, and milk.

- ✓ Kits undergo similar validation testing as the Quantikine® single analyte assays and are correlated with Quantikine ELISAs, when available
- Kits consist of base kits and bead sets, which can be ordered individually or as premixed kits
- ✓ Kits are available for human, mouse, and rat analytes
- ✓ All assays can be performed in 2.5-5 hours
- ✓ Assays require a small sample volume (<100 µL)
- Kits containing beads that the user will mix are delivered 1 day after the order is placed; kits containing beads that we mix are delivered in 2-4 days




For more information, please visit our website at www.RnDSystems.com/LuminexPerformance

#### Analytes available in the polystyrene bead format

Human Biomarker Panel A	Human Cytokine Panel B	Mouse Cytokine Panel	Rat Cytokine Panel
BAFF/BLyS	CCL11/Eotaxin	CCL2/JE/MCP-1	CXCL2/CINC-3
CCL20/MIP-3α	CD40 Ligand/TNFSF5	CXCL1/KC	CXCL3/CINC-2α/β
CD14	CXCL10/IP-10	CXCL2/MIP-2	GM-CSF
CD27/TNFRSF7	CXCL11/I-TAC	GM-CSF	ICAM-1/CD54
CXCL13/BLC/BCA-1	EGF	IFN-γ	IFN-γ
gp130	HGF	IL-1β/IL-1F2	IL-1α/IL-1F1
L-2 Rα	IL-12 p70	IL-2	IL-1β/IL-1F2
L-6 Rα	IL-13	IL-4	IL-2
TNF RII/TNFRSF1B	Leptin/OB	IL-5	IL-4
Human Cardiac Panel A	Human Obesity Panel	IL-6	IL-6
CD40 Ligand/TNFSF5	Adiponectin/Acrp30	IL-10	IL-10
GDF-15	C-Reactive Protein/CRP	IL-12 p70	IL-13
Pappalysin-1/PAPP-A	CCL2/MCP-1	IL-13	IL-18/IL-1F4
PCSK9	Comp. Factor D/Adipsin	IL-17	L-Selectin/CD62L
ST2/IL-1 R4	IL-6	TNF- $lpha$	TIMP-1
TNF RII/TNFRSF1B	IL-0 IL-10 Leptin/0B Resistin	VEGF	TNF- $\alpha$
		Human Adhesion Molecule 4-plex*	VEGF
Human Cardiac Panel B			Multi-species TGF-β 3-plex*
C-Reactive Protein/CRP	Serpin E1/PAI-1	ICAM-1/CD54	TGF-β1
Cystatin C	TNF-α	E-Selectin/CD62E	TGF-β2
Myeloperoxidase/MPO		P-Selectin/CD62P	TGF-β3
P-Selectin/CD62P	Rat Kidney Toxicity Panel	VCAM-1/CD106	idi þ3
Serpin E1/PAI-1	Cystatin C		
ΓIMP-1	FABP1/L-FABP		
	Lipocalin-2/NGAL		
	Osteopontin		
	TIM-1/KIM-1/HAVCR	*The	se kits are only available as premixed k

Unstimulated
Stimulated 8 hours
Stimulated 24 hours



Multiplex Measurement of PMA/Ca<sup>2+</sup>/Ionomycin or LPS-stimulated Cytokine Production in Cultured Whole Blood. Whole blood samples from apparently healthy donors were cultured for one, eight, or twenty-four hours in the presence of A) phorbol 12-myristate 13-acetate (PMA; 50 ng/mL) and Ca<sup>2+</sup>/Ionomycin (500 ng/mL) or B) lipopolysaccharide (LPS; 50 ng/mL). Samples were taken from untsimulated and stimulated cultures and centrifuged to collect plasma. The levels of the indicated cytokines were simultaneously quantified using the Luminex Performance Human High Sensitivity Cytokine Panel (Catalog # LHSC000). Columns represent the mean of four whole blood samples + the standard deviation. \*One or more of the results were above the range of the standard curve, and the value was extrapolated.

#### Analytes available in the magnetic and polystyrene bead format

Human Angiogenesis Panel	Human Cytokine Panel A		Human High Sensitivity	Human MMP Panel	Human TIMP 4-plex*
Angiogenin	CCL2/MCP-1	IL-1ra/IL-1F3	Cytokine Panel	MMP-1	TIMP-1
Angiopoietin-1	CCL3/MIP-1α	IL-2	CXCL8/IL-8	MMP-2	TIMP-2
Endostatin	CCL4/MIP-1β	IL-4	GM-CSF	MMP-3	TIMP-3
FGF acidic	CCL5/RANTES	IL-5	IFN-γ	MMP-7	TIMP-4
FGF basic	CXCL5/ENA-78	IL-6	IL-1β/IL-1F2	MMP-8	
PDGF-AA	CXCL8/IL-8	IL-10	IL-2	MMP-9	
PDGF-BB	FGF basic	IL-17	IL-4	MMP-10	
PIGF	G-CSF	TNF-α	IL-5	MMP-12	
Thrombospondin-2	GM-CSF	Thrombopoietin/Tpo	IL-6	MMP-13	
/EGF	IFN-γ	VEGF	IL-10	EMMPRIN	
/EGF-D	IL-1α/IL-1F1		IL-12 p70		
	IL-1β/IL-1F2		TNF-α		
	,		VEGF		*This kit is only available as a premix